

## APPLICATION FOR ELECTRICAL SERVICE

e of Convention: NJSOP Therapy By ea		Function Dates: Fri – Sat Oct. 11-12, 20	
ting Firm:			
:			Phone:
		te:	Zip:
rized By:			Date:
Tized by.	Title		Dutc.
<b>EXHIBITORS</b> – Please complete thi will forward this form to Hard Rock.			
Back of Booth		lease indicate location of equip nd any other pertinent informa 	ation.
Left			_
Aisle	•	Do your require 24 hours serv	
AVAILABLE SERVICES	Qty	ADVANCE PAYMENT FOR SERVICE + 7% SALES TAX	DAY OF LOAD-IN PAYMENT SERVICE + 7% SALES TAX
120 VAC 500W Maximum Single Receptacle	غ	\$ 70.00 + \$ 4.90 = \$ 74.90	\$ 105.00 + \$ 7.35 = \$ 112.35
120 VAC 500W Single Receptacle (50 or mo	re)	\$ 60.00 + \$ 4.20 = \$ 64.20	\$ 90.00 + \$ 6.30 = \$ 96.30
120 VAC 20 Amps 1800W with Quad Box		\$ 80.00 + \$ 5.60 = \$ 85.60	\$ 120.00 + \$ 8.40 = \$ 128.40
120/208 20 Amps Single Phase		\$ 95.00 + \$ 6.65 = \$ 101.65	\$ 142.50 + \$ 9.98 = \$ 152.48
120/208 30 Amps Single Phase		\$ 100.00 + \$ 7.00 = \$ 107.00	\$ 150.00 + \$ 10.50 = \$ 160.50
120/208 60 Amps Single Phase		\$ 105.00 + \$ 7.35 = \$ 112.35	\$ 157.50 + \$ 11.03 = \$ 168.53
120/208 20 Amps Three Phase		\$ 100.00 + \$ 7.00 = \$ 107.00	\$ 150.00 + \$ 10.50 = \$ 160.50
120/208 30 Amps Three Phase		\$ 105.00 + \$ 7.35 = \$ 112.35	\$ 157.50 + \$ 11.03 = \$ 168.53
120/208 60 Amps Three Phase		\$ 120.00 + \$ 8.40 = \$ 128.40	\$ 180.00 + \$ 12.60 = \$ 192.60
277/480 30 Amps Three Phase (Arena only)	,	\$ 195.00 + \$ 13.65 = \$ 208.65	\$ 292.50 + \$ 20.48 = \$ 312.98
RENTAL ITEMS:		-	
10' Extension Cord			\$ 20.00 + \$ 1.40 = \$ 21.40
25' Extension Cord			\$ 30.00 + \$ 2.10 = \$ 32.10
6 Outlet Power Strip			\$ 50.00 + \$ 3.50 = \$ 53.50
6 Outlet Surge Protector			\$ 50.00 + \$ 3.50 = \$ 53.50
Cube Tap			\$ 5.00 + \$ 0.35 = \$
Spot Light (Arena only)		†	\$ 20.00 + \$ 1.40 = \$ 21.40

These rates include only the bringing in of power lines to the booth and the primary connection of these lines to a piece of equipment which is already wired in the booth. Should wiring or connections beyond the primary connections just mentioned be required to permit operation and demonstration of equipment, such wiring can be completed at a rate based on time and material. It is advisable that all small motors up to 1 HP should be the universal type. Each motor of 1 HP or over must be equipped with a fusible switch. To avoid delay in installation, all equipment should be tagged and wired with full information as to the kind of current, voltage phase, cycle, horsepower, etc. ready for connections

MINIMUM ONE (1) HOUR. ANY SERVICE OVER 60 AMPS WILL BE QUOTED ON A PER JOB BASIS.

## **NOTICE TO EXHIBITORS**

- 1. Under no circumstances shall anyone other than HARD ROCK ENTERTAINMENT ELECTRICIANS make electrical connections
- 2. Wall, column and permanent building utility outlets are not a part of the booth space and are not to be used by exhibitors to be used by exhibitors.
- 3. All flexible cords shall be 3-wire unless the cord is a component part of an assembly which is specifically approved.
- 4. Electrical Code requires that any extension cord in a booth have mechanical protection from abrasion. If such protection is not supplied by Exhibitor, it can be provided at an additional charge.
- 5. Under no circumstances will any electrical cords be run under carpet.
- 6. Credit will not be given for electrical service installed and not used.
- 7. HARD ROCK ATLANTIC CITY reserves the right to refuse hookup of any electrically unsound equipment.

## STANDARD CONDITIONS FOR EXHIBITS AND DISPLAYS

NON -FLAMMABLE MATERIALS: All materials used in the Exhibit Hall, Ballrooms, Meeting Rooms, or any other room of the Hotel MUST be non-flammable to conform with the Fire Regulations of the State of New Jersey and the City of Atlantic City. Exhibitors having said materials MUST have available for inspection a "Certificate of Flame-proofing" while attending the trade show. Electrical wiring and equipment must conform to the National Electrical Code and the Electrical Code of Atlantic City. Material not conforming with such regulations will be removed immediately at the Exhibitor's expense. Engines, motors, or any kind of equipment may be operated only with the consent of the HARD ROCK ENTERTAINMENT PRODUCTION MANAGER.

- RIGGING: Any hanging of signs, banners, or other materials which require attachment to the Building, must be done by HARD ROCK personnel.
- FOOD AND BEVERAGE GIVEAWAYS: The HARD ROCK ATLANTIC CITY must be notified of any
  food or beverage dispensed or given away at individual exhibit booths. Food and beverage may be purchased
  directly from the Catering Department with notice.
- SPECIAL NOTICES: No nails or bracing wires used in erection of displays may be attached to the building
  without the written consent of the HARD ROCK Production Manager. All property destroyed or damaged by
  Exhibitors must be replaced to its original condition by the Exhibitor or at the Exhibitor's expense.
- MOVE-IN / MOVE-OUT: All exhibitors are required to load-in and out exhibits through the Pennsylvania Avenue Loading Dock. Under no circumstances will the exhibitor be allowed to move in or out through the Hotel Lobby or Porte Cochere area.
- LIABILITY: Hard Rock Atlantic City will not be responsible for any injury, loss or damage that may occur to
  the Exhibitor, the Exhibitor's employees or property, or to any other person, prior, during, or subsequent to the
  period covered by the exhibit contract; providing said injury, loss, or damage is not caused by the willful
  negligence or wrongful act of any employee of the Hotel. Each Exhibitor expressly releases the Hotel from
  such liabilities and agrees to indemnify the Hotel against any and all claims for such injury, loss or damage.
- INSURANCE: Exhibitors who desire to carry insurance on their exhibits must place it at their own expense.
- STORAGE: The Hotel has no facilities for the storage of exhibits.

ALL BOOTH FURNITURE - I.E. CHAIRS, TABLES, ETC., MUST BE ORDERED THROUGH THE OFFICIAL EXHIBIT DECORATOR.

THE HOTEL RESERVES THE RIGHT TO IMMEDIATELY CLOSE ANY EXHIBIT THAT IS NOT IN CONFORMANCE WITH THESE REGULATIONS.